



MySat

# SCANNING INSTRUCTIONS **SATKING BOX**





MySat

# ON THE MYSAT REMOTE



PRESS **MENU**

STEP 1



MySat

**CHANNEL SEARCH WILL APPEAR.  
PRESS OK ON DISH SET UP**



**STEP 2**



MySat

ONCE ON THIS PAGE, PRESS "SAT" BUTTON

 Dish Setup

Satellite	
001 166.0E Ku_INTELSAT 19	Ku_INTELSAT 19
002 166.0E C_INTELSAT 19	
003 113.0E C_PALAPA D	
004 100.5E C_ASIASAT 2	
005 105.5E C_ASIASAT-7	
006 122.2E C_ASIASAT 4	
007 122.2E Ku_ASIASAT 4	
008 083.0E C_INSAT 2E,3B	

LNB Type	11300
LNB Power	Off
22KHz	Auto
Toneburst	None
DiSEqC1.0	None
DiSEqC1.1	None
Motor	None

Quality 

**SAT** TransPonder    **OK** Select     Edit     Scan  
**EXIT** EXIT     Add     Delete

STEP 3



MySat

**AFTER THE SAT BUTTON 'TRANSPONDERS' WILL APPEAR - PRESS THE RED BUTTON TO ADD TRANSPONDER**

 Dish Setup

TransPonder		Ku_INTELSAT 19	
001	12646 H 28066	LNB Type	11300
002	12726 H 28066	LNB Power	Off
003	12286 H 30000	22KHz	Auto
004	12326 H 28800	Toneburst	None
005	12395 H 2776	DiSEqC1.0	None
006	12462 H 2222	DiSEqC1.1	None
007	12502 V 3074	Motor	None
008	12526 H 28800		

Quality 

SAT Satellite    OK Select    ● Edit    ● Scan  
EXIT EXIT    ● Add    ● Delete

**STEP 4**



MySat

**CHANGE FREQUENCY TO  
"12295" AND SYMBOL TO "13333"  
AND POLARIZATION TO HORIZONTAL (HOR)  
AND PRESS OK TO SAVE**

 Dish Setup

TransP	Add	
001 12646 H 28	TransPonder	012
002 12726 H 28		1300
003 12286 H 30	Frequency:	12295
004 12326 H 28	Symbol	13333
005 12395 H 27		Off
006 12462 H 22	Polarity	H
007 12502 V 3074	DISLQCT.1	Auto
008 12526 H 28800	Motor	None

Quality 

**EXIT** EXIT      **OK** Confirm

**STEP 5**



# MySat

- ENSURE QUALITY IS **RED** AND **STABLE**
- PRESS THE **BLUE** BUTTON TO SCAN

**Dish Setup**

Satellite	Settings
001 166.0E Ku_INTELSAT 19	<b>Ku_INTELSAT 19</b>
002 166.0E C_INTELSAT 19	LNB Type: 11300
003 113.0E C_PALAPA D	LNB Power: Off
004 100.5E C_ASIASAT 2	22KHz: Auto
005 105.5E C_ASIASAT-7	Toneburst: None
006 122.2E C_ASIASAT 4	DiSEqC1.0: None
007 122.2E Ku_ASIASAT 4	DiSEqC1.1: None
008 083.0E C_INSAT 2E,3B	Motor: None

Quality:

**SAT** TransPonder    **OK** Select    Edit    Scan  
**EXIT** EXIT    Add    Delete

## STEP 6



MySat

**CHANNEL SEARCH WILL APPEAR.  
PRESS **OK** TWICE & WAIT UNTIL  
THE SCAN ENDS**



**STEP 7**